

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US**

Certificate of Analysis



Crispy Chocolate N/A Matrix: Edible



Sample: DA30308008-005 Harvest/Lot ID: 66031

Batch#: 66031

Cultivation Facility:

Processing Facility:

Distributor Facility:

Source Facility: Seed to Sale# N/A

Batch Date: 03/01/23

Sample Size Received: 15 gram

Total Amount: 1 gram

Retail Product Size: 9.7 gram

Ordered: 03/06/23 Sampled: 03/06/23

Completed: 03/17/23

Sampling Method: SOP.T.20.010.FL

Mar 17, 2023 | White Lab LLc

4028 North 29th Avenue Hollywood, FL, 33020, US



Pages 1 of 1

PRODUCT IMAGE









Heavy Metals



Microbials



Mycotoxins





Filth

NOT TESTED





Water Activity





NOT TESTED

TESTED

Cannabinoid

Total THC

0.188%

Total THC/Container: 18.236 mg



D8-THC 0.074%

D8-THC/Container: 7.178 mg



Total Cannabinoids .262%

Total Cannabinoids/Container: 25.414

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	0.188	ND	ND	ND	0.074	ND	ND	ND	ND	ND	ND
mg/g	1.88	ND	ND	ND	0.74	ND	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 1665, 585, 1440			Weight: 2.82010		Extraction date: 03/09/23 10:52:07				Extracted by: 1665		

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA057107POT Instrument Used: DA-LC-007 Running on: 03/09/23 12:49:10

Reviewed On: 03/16/23 17:06:09

Reagent: 030123.01; 030223.R11; 070122.11; 070121.27; 030223.R09
Consumables: 280670723; CE0123; 61633-125C6-125E; 0000185478
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64Fx20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IE 17025:2017 Accreditation PJLA-Testing 97164



03/17/23

Signed On

Revision: #1 This revision supersedes any and all previous versions of this document.